



PARAMOUNT COMMUNICATIONS LTD.

Corp. Office : PARAMOUNT HOUSE,C-125 NARAINA INDUSTRIAL AREA, PHASE 1 NEW DELHI-110028

E Mail : mktg@paramountcables.com

LT Power Cables - Aluminium conductor

PRICE LIST JULY - 2017

PARAMOUNT BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor,XLPE Insulated,cores laid up, PVC innersheathed,Unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Glavanised wire for cables upto 2x10 sqmm, 3x10 sqmm,4x6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7908(Part 1) 1988 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Kilo Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		43000	46000		51000		66000	73000		84000
6		48000	55000		65000		77000	85000		96000
10		58000	71000		86000		92000	107000		122000
16	33000	71000	91000		112000	59000	108000	114000		136000
25	43000	91000	124000	142000	152000	71000	111000	144000	162000	175000
35	53000	115000	158000	180000	200000	85000	136000	182000	205000	227000
50	69000	147000	207000	240000	263000	104000	170000	230000	266000	294000
70	92000	198000	287000	331000	367000	132000	226000	310000	361000	398000
95	125000	265000	355000	411000	460000	149000	291000	385000	437000	486000
120	156000	316000	439000	516000	573000	179000	347000	460000	545000	595000
150	190000	385000	544000	622000	712000	213000	419000	567000	646000	732000
185	234000	481000	676000	783000	885000	260000	521000	693000	806000	910000
240	293000	638000	864000	997000	1132000	319000	678000	887000	1014000	1161000
300	359000	788000	1063000	1227000	1385000	388000	827000	1072000	1243000	1399000
400	471000	1010000	1336000	1547000	1747000	487000	1041000	1363000	1581000	1779000
500	560000	1271000	1740000	2010000	2269000	667000	1377000	1846000	2151000	2414000
630	659000	1603000	2305000	2726000	3061000	780000	1734000	2447000	2922000	3266000
800	936000					1075000				
1000	1101000					1239000				

EXTRAS FOR SPECIAL CONSTRUCTION:

		Cable Size (Sq.mm)	FRLS Loading Factor		LSZH Loading	
			Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
a) Round Wire Armouring						
- 2 x 16 & above	25.00%			Armd.	Unarmd.	
- 3 x 16 & 3.5CX25 & above	25.00%		Power (Al.)			
- 4 x 10 & above	25.00%	Upto 16	10.0%	15.0%	15%	20%
- For Single core 95 & above	25.00%	25 - 50	7.5%	10.0%	10.0%	12.5%
b) Stranding 10 sq.mm and below	10.00%	70 & above	5.0%	7.5%	7.5%	15%
c) Extruded PVC Innersheath Up 50	5.00%		Power Single Core (Al.)			
Extruded PVC Innersheath 70 & Above	2.50%	Upto 16	-N.A-	20.0%	20.0%	25%
d) HR PVC Insulation	10.00%	25 - 70	-N.A-	15.0%	15.0%	20%
e) HR PVC Inner Sheath	5.00%	95 & above	-N.A-	12.5%	12.5%	17.5%
f) HR PVC Outer Sheath	5.00%					
g) Oxygen Index (FR)	2.50%					
h) PVC Insulated Cables	8.00%					

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



PARAMOUNT COMMUNICATIONS LTD.

Corp. Office : PARAMOUNT HOUSE, C-125 NARAINA INDUSTRIAL AREA, PHASE 1 NEW DELHI-110028

E Mail : mktg@paramountcables.com

LT Power and Control Cables - Copper conductor

PRICE LIST JULY - 2017

PARAMOUNT BRAND Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm and balance Stranded Copper, XLPE Insulated, cores laid up, PVC innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Kilo Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XWY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XWY 2XFY	2XWY 2XFY
4		99000	139000		180000		122000	158000		201000
6		140000	198000		259000		164000	218000		281000
10		221000	311000		409000		248000	333000		429000
16	160000	316000	461000		609000	174000	354000	472000		619000
25	248000	486000	728000	878000	962000	287000	541000	776000	934000	1022000
35	342000	672000	1006000	1158000	1333000	389000	740000	1069000	1226000	1409000
50	468000	920000	1380000	1615000	1829000	526000	1005000	1456000	1702000	1929000
70	666000	1308000	1971000	2298000	2637000	740000	1423000	2067000	2409000	2762000
95	894000	1820000	2737000	3197000	3667000	1040000	2043000	2969000	3469000	3974000
120	1128000	2290000	3446000	4103000	4627000	1308000	2561000	3731000	4445000	5002000
150	1409000	2858000	4309000	4968000	5783000	1627000	3195000	4657000	5371000	6243000
185	1735000	3523000	5308000	6209000	7123000	2001000	3930000	5731000	6700000	7677000
240	2236000	4543000	6850000	7987000	9193000	2570000	5055000	7383000	8606000	9896000
300	2787000	5667000	8542000	9963000	11468000	3204000	6296000	9191000	10721000	12330000
400	3664000	7439000	11217000	12979000	15067000	4197000	8254000	12062000	13948000	16178000
500	4627000					5297000				
630	5828000					6667000				
800	7396000					8447000				
1000	9240000					10544000				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	50000	72000	72000	94000	14	241000	375000	297000	413000
3	64000	93000	87000	118000	16	273000	429000	307000	465000
4	80000	119000	105000	148000	19	321000	506000	356000	545000
5	95000	142000	123000	177000	24	406000	637000	446000	683000
6	112000	169000	141000	205000	27	454000	712000	497000	760000
7	126000	194000	156000	232000	30	519000	816000	570000	877000
8	147000	222000	177000	261000	37	635000	1000000	694000	1069000
10	177000	274000	226000	305000	44	752000	1202000	843000	1323000
12	209000	324000	261000	358000	61	1036000	1652000	1151000	1803000

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%	E) OXYGEN INDEX (FR)	2.50%
B) Stranding (Upto 6 SQ.MM)	6.00%	F) HR PVC INSULATION	7.00
		G) HR PVC I.SH/O.SH.	5.00% (Each)
C) Extruded Innersheath	2.50%	H) FRLS Loading-Power Cable	7.50%
D) Round Wire Armouring		I) PVC Cables	5%

1C x 95 sq. mm & above 7.50%

1.5 sq.mm - 12 core & above 15.00%

2.5 sq.mm - 9 core & above 15.00%

10 sq.mm - 4 core & above 15.00%

16 sq.mm - 2 core & above 15.00%

16 sq.mm - 3 core & above 15.00%

FRLS Loading Factor- Control Cable				LSZH Loading	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	7.5%	7.5%	15.0%	15.0%
5 - 10	5.0%	7.5%	7.5%	15.0%	15.0%
12 & Above	5.0%	7.5%	7.5%	12.5%	12.5%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



PARAMOUNT COMMUNICATIONS LTD.

Corp. Office : PARAMOUNT HOUSE, C-125 NARAINA INDUSTRIAL AREA, PHASE 1 NEW DELHI-110028

E Mail : mktg@paramountcables.com

HT Single Core Power Cables - Aluminium conductor

PRICE LIST JULY - 2017

PARAMOUNT BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMoured**, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Kilo Metre)

Cable Size in sq.mm	A2XFaY						
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			196000				
50			217000				
70	227000	233000	248000				
95	257000	260000	275000	359000	374000	498000	
120	290000	293000	311000	415000	420000	548000	
150	324000	327000	342000	450000	457000	572000	678000
185	373000	382000	410000	522000	535000	636000	743000
240	460000	469000	516000	601000	615000	719000	882000
300	533000	547000	603000	676000	692000	843000	973000
400	638000	664000	721000	801000	819000	964000	1112000
500	804000	843000	873000	1001000	1001000	1183000	1284000
630	997000	1014000	1041000	1188000	1188000	1386000	1502000
800	1235000	1246000	1264000	1387000	1387000	1588000	1805000
1000	1490000	1495000	1644000	1805000	1805000	1935000	2074000

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) FR PVC Outer Sheath	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



PARAMOUNT COMMUNICATIONS LTD.

Corp. Office : PARAMOUNT HOUSE, C-125 NARAINA INDUSTRIAL AREA, PHASE 1 NEW DELHI-110028

E Mail : mktg@paramountcables.com

HT Single Core Power Cables - Aluminium conductor

PRICE LIST JULY - 2017

PARAMOUNT BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured**, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Kilo Metre)

Cable Size in sq.mm	A2XWαY						
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			206000				
50			228000				
70	239000	245000	260000				
95	271000	274000	290000	378000	394000	524000	
120	305000	308000	328000	436000	442000	577000	
150	341000	345000	361000	474000	481000	603000	714000
185	393000	402000	432000	550000	563000	669000	782000
240	484000	494000	542000	632000	647000	757000	928000
300	561000	576000	635000	712000	729000	887000	1024000
400	672000	698000	758000	843000	862000	1014000	1170000
500	846000	887000	919000	1053000	1053000	1245000	1352000
630	1049000	1067000	1096000	1250000	1250000	1459000	1581000
800	1300000	1311000	1330000	1460000	1460000	1671000	1900000
1000	1568000	1574000	1731000	1900000	1900000	2032000	2184000

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) FR PVC Outer Sheath	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



PARAMOUNT COMMUNICATIONS LTD.

Corp. Office : PARAMOUNT HOUSE, C-125 NARAINA INDUSTRIAL AREA, PHASE 1 NEW DELHI-110028

E Mail : mktg@paramountcables.com

HT Three Core Power Cables - Aluminium conductor

PRICE LIST JULY - 2017

PARAMOUNT BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, GALVANISED STEEL **FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Kilo Metre)

Cable Size in sq.mm	A2XFY						
	3.3 KV (E/UE)	6.6 KV(E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			474000				
50			536000				
70	558000	597000	637000				
95	676000	710000	754000	975000	1015000	1353000	
120	795000	829000	870000	1133000	1158000	1543000	
150	898000	935000	971000	1252000	1277000	1634000	1940000
185	1058000	1078000	1130000	1400000	1432000	1805000	2149000
240	1253000	1305000	1356000	1647000	1678000	2064000	2436000
300	1481000	1556000	1578000	1895000	1925000	2319000	2718000
400	1800000	1947000	1982000	2227000	2267000	2685000	3125000
500							
630							
800							

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5.0%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.